

AREA 6 BRIGHTWORK

RADIATOR SHELL

1. _____ 5 POINTS FOR PROPER NICKEL, CHROME, STAINLESS OR PAINTED RADIATOR SHELL FOR THE YEAR & TYPE OF VEHICLE
All 28-29 passenger cars can have nickel or chrome plating. Commercial vehicle shells were painted black. Only the factory built model 76A & 76B Deluxe pickup had a stainless shell.
- OR
- 1930 cars had stainless shells with black lower panel. 1931 cars had stainless shells with upper insert painted lower body colour & lower insert painted lower body colour or black.
- 0 POINTS IF WRONG
2. _____ 5 POINTS IF SHELL IS IN EXCELLENT CONDITION & DENT FREE
- OR
- 3 POINTS IF SHELL HAS A MINOR DENT OR TWO
- OR
- 0 POINTS FOR MAJOR DENTS OR POOR PAINT AND/OR PLATING
3. _____ 1 POINT IF PROPER RADIATOR EMBLEM IS PRESENT
1928-29 emblems had black or blue enamel, 1930-31 were pressed stainless steel with black script.
4. _____ 1 POINT FOR PROPER CRANK HOLE COVER
1928-29 covers were nickel or chrome. They had a raised tear drop on their face. 1930-31 cover is stainless & had a raised dumbbell shaped grip.
5. _____ 1 POINT IF CRANK HOLE COVER IS OPERABLE
Cover must not be rusted in place.

GLASS, CURTAINS, WIPERS

6. _____ 1 POINT IF WINDSHIELD FRAME IS FREE OF RUST & ROT
Paint bubbles hide rust. Lightly pitted back side of frame is acceptable.
7. _____ 3 POINTS IF ALL WINDSCREEN RUBBER IS IN PLACE & IN GOOD CONDITION
Original, rock hard windscreen rubber is not acceptable. Check for side rubber on open cars.

_____ PAGE 1 SUB-TOTAL Maximum possible 17 points

JUDGE'S NOTE: PLEASE USE REVERSE SIDE OF PAGE FOR ANY COMMENTS YOU WISH TO MAKE ABOUT THE VEHICLE OR THE JUDGING PROCESS

AREA 6 BRIGHTWORK

GLASS, CURTAINS, WIPERS - Continued

8. _____ 5 POINTS IF WINDSCREEN WIPER IS COMPLETE
Every vehicle came with some type of wiper. Check for interior control handles to be complete. **Do not judge** condition of control handles or operability.
9. _____ 5 POINTS FOR WINDOW GLASS OR SIDE CURTAINS THAT ARE CLEAR & BUBBLE FREE WITH NO BREAKS OR SCRATCHES
Only the windshield glass must be safety glass. Put your finger up against the safety glass & you will see a double image or shadow.
Plate glass windshield = 0 points.
- OR
- 3 POINTS FOR MINOR SCRATCHES
- OR
- 1 POINT FOR MAJOR SCRATCHES
- OR
- 0 POINTS FOR CRACKED, MISSING GLASS OR CURTAINS OR PLATE GLASS WINDSCREEN

HEADLIGHTS

10. _____ 5 POINTS FOR PROPER HEADLIGHTS FOR YEAR OF VEHICLE. ONLY JUDGE STYLE OF HEADLIGHT.
1928-29 cars had nickel or chrome acorn shaped headlights & matching lens rings. **Do not** look for Ford script. Commercial vehicles had headlight shells painted black with plated lens rings. 1930-31 headlights were stainless & hemispherical. Commercial vehicles had steel headlights painted black with stainless lens rings. **Do not judge** paint or sheet metal condition here
11. _____ 5 POINTS FOR PROPER HEADLIGHTS WITH THE PROPER FINISH IN EXCELLENT CONDITION & DENT FREE
Explanation #10 describes proper lights & finish.
- OR
- 0 POINTS IF THE WRONG HEADLIGHTS ARE FITTED
12. _____ 3 POINTS FOR PROPER HEADLIGHT LENSES FOR THE YEAR OF THE VEHICLE
Fluted lenses were used from early 1928 to April 1929. The later "modern" lens was used from early 1929 to end of production.

_____ PAGE 2 SUB-TOTAL Maximum possible 23 points

JUDGE'S NOTE: PLEASE USE REVERSE SIDE OF PAGE FOR ANY COMMENTS YOU WISH TO MAKE ABOUT THE VEHICLE OR THE JUDGING PROCESS

AREA 6 BRIGHTWORK

HEADLIGHTS Continued

13. _____ 3 POINTS FOR PROPER TYPE HEADLIGHT REFLECTORS THAT ARE
SILVER, CHROME, ALUMINIUM OR OTHERWISE PLATED
OR WITH BRIGHT FINISH.
0 POINTS IF REFLECTORS ARE DARK, TARNISHED OR PAINTED
14. _____ 5 POINTS IF HEADLIGHT BULBS ARE USED.
OR
0 POINTS IF SEALED BEAMS ARE INSTALLED

HEADLIGHT BAR

15. _____ 2 POINTS IF PROPER HEADLIGHT BAR IS USED
There were 3 styles used. 1928-29 were straight across. May 1930
used a stamped bar. 1930-31 used an arched round bar.
16. _____ 2 POINTS IF PROPER BAR IS PAINTED BLACK
Only black is accepted.
17. _____ 3 POINTS IF ORIGINAL TYPE NUMBER PLATE CLAMPS ARE USED
Only original style, stamped Model A clamps, painted black are
acceptable. The stamped steel bar did not use clamps, Award full
points.

FRONT BUMPER

18. _____ 5 POINTS FOR STAINLESS OR CHROME PLATED FRONT BUMPER
CORRECT FOR YEAR OF VEHICLE & IN EXCELLENT
OR CONDITION
1928-29 had arched bumpers. 1930-31 were straight.
- 3 POINTS IF CORRECT FOR YEAR, WITH POOR PLATING
OR
0 POINTS FOR INCORRECT, RUSTED OR PAINTED

_____ PAGE 3 SUB-TOTAL Maximum possible 20 points

JUDGE'S NOTE: PLEASE USE REVERSE SIDE OF PAGE FOR ANY COMMENTS YOU WISH TO
MAKE ABOUT THE VEHICLE OR THE JUDGING PROCESS

AREA 6 BRIGHTWORK

FRONT BUMPER Continued

19. _____ 3 POINTS FOR PROPER END BOLTS & SPACERS PAINTED BLACK
All end bolts were carriage bolt style, painted black. Spacers and nuts on the bottom must be black.
20. _____ 2 POINTS FOR PROPER FRONT BUMPER CLAMPS WITH PROPERLY PAINTED INSERTS CORRECT FOR THE YEAR OF THE VEHICLE & IN EXCELLENT CONDITION.
Refer to Australian Judging Standards Section 14-4 for correct clamps.
21. _____ 2 POINTS FOR PROPERLY PLATED CENTRE BUMPER CLAMP CORRECT FOR THE YEAR AND PROPERLY PAINTED INSERT IN EXCELLENT CONDITION
Refer to Australian Judging Standards Section 14-4 for correct clamps.
22. _____ 2 POINTS FOR BUMPER CLAMP BACKING PLATES CORRECT FOR THE YEAR OF VEHICLE, PAINTED BLACK IN EXCELLENT CONDITION
Refer to Australian Judging Standards Section 14-4 for correct clamps.

_____ PAGE 4 SUB-TOTAL Maximum possible 9 points

JUDGE'S NOTE: PLEASE USE REVERSE SIDE OF PAGE FOR ANY COMMENTS YOU WISH TO MAKE ABOUT THE VEHICLE OR THE JUDGING PROCESS

AREA 6 BRIGHTWORK

REAR TAIL LIGHT/S

23. _____ 5 POINTS FOR RIGHT SIDE TAIL LIGHT THAT IS CORRECT TYPE & FINISH FOR THE YEAR OF THE VEHICLE, DENT FREE & IN EXCELLENT CONDITION
 Early 28 used a nickel, drum style lamp. "Duolight" stamped or raised in the body of lamp. Chrome is accepted. Commercial lamps were black. February 1929 to December 1929 used nickel or chrome plated tea cup "Duolamp" style lamp. 1930 to end of production used a stainless tea cup style lamp.
 OR Commercial lamps, 1929 to end of production, used steel tea cup style painted black with chrome or stainless rims. If a left side tail light installed, the appearance must match the right. Lens/es must be glass and correct type for year of vehicle.
- 2 POINTS IF WRONG FINISH OR POOR CONDITION, INCLUDING POOR PLATING, DENTS, OR CRACKED LENS/ES
 OR
- 0 POINTS IF NON MODEL A TAIL LIGHTS OR NON MATCHING APPEARANCE LEFT HAND TAIL LIGHT WITH EPOXY, POLY OR PLASTIC LENS MATERIAL NOT ACCEPTED. LIGHTS EMBEDDED IN TAIL LIGHT LENS NOT ACCEPTED

REAR BUMPER

NOTICE: Rear bumpers were not installed on commercial vehicles including station wagons and trucks (both A & AA). Give such vehicles full points in the following four questions unless plated bumpers are installed. Bumperettes or full bumpers are accepted on commercial vehicles, that came without rear bumpers, in Touring Class as a safety item. Full rear bumpers on passenger vehicles are accepted only on vehicles that came with them as standard equipment. They are 1931 Convertible Sedan A400, 1931 Deluxe Phaeton 180A, 1930 & 1931 Deluxe Roadster 40B(DL). Any vehicle produced beginning March 1929 with welled mudguards may have a full cross bar rear bumper as an accessory.

REAR BUMPER CONTINUES ON PAGE 6

_____ PAGE 5 SUB-TOTAL Maximum possible 5 points

JUDGE'S NOTE: PLEASE USE REVERSE SIDE OF PAGE FOR ANY COMMENTS YOU WISH TO MAKE ABOUT THE VEHICLE OR THE JUDGING PROCESS

AREA 6 BRIGHTWORK

REAR BUMPER Continued

24. _____ 5 POINTS FOR STAINLESS OR CHROME PLATED REAR BUMPERS
CORRECT FOR THE YEAR & IN EXCELLENT CONDITION
1928-29 have sharp bends. 1930-31 were arched. Slant windshield
cars had a longer arched bumper.
- OR
- 3 POINTS FOR CORRECT REAR BUMPER WITH POOR PLATING
OR
0 POINTS FOR INCORRECT, RUSTED, PAINTED OR MISSING BUMPER
25. 3 POINTS FOR CORRECT BUMPER END BOLTS & SPACERS PAINTED BLACK.
Must be same as front bolts and spacers.
26. 2 POINTS FOR PROPER REAR BUMPER CLAMPS WITH PROPERLY
PAINTED INSERTS IN EXCELLENT CONDITION AND CORRECT
FOR YEAR OF VEHICLE
Early 1928-May 1928 clamps looked like the front, but had a Ford
script in the centre. June 1928 to end of production were the same as
the fronts.
27. 2 POINTS FOR PROPER FRONT BUMPER CLAMP BACKING PLATES PAINTED
BLACK IN EXCELLENT CONDITION.
Rear clamps must match front clamps.

_____ PAGE 6 SUB-TOTAL Maximum possible 12 points

_____ PAGE 5 SUB-TOTAL Maximum possible 5 points

_____ PAGE 4 SUB-TOTAL Maximum possible 9 points

_____ PAGE 3 SUB-TOTAL Maximum possible 20 points

_____ PAGE 2 SUB-TOTAL Maximum possible 23points

_____ PAGE 1 SUB-TOTAL Maximum possible 17 points

_____ TOTAL Maximum possible for Section 6 is 86 points

JUDGE'S NOTE: PLEASE USE REVERSE SIDE OF PAGE FOR ANY COMMENTS YOU WISH TO
MAKE ABOUT THE VEHICLE OR THE JUDGING PROCESS